



PWC & Powersports Trailers

ShoreLand'r also offers a complete line of PWC and Powersports trailers for all kinds of tools and toys, including:

- Personal Watercraft
- ATVs
- UTVs
- Motorcycles
- Golf Carts
- Lawn Mowers
- and much, much more!

No matter what you are hauling, there is a dependable ShoreLand'r trailer that can get the job done.

Visit shorelandr.com to see the whole line.



PWCD2213



PS4X8

AUTHORIZED DEALER

ShoreLand'r® | *Go the extra mile*

Midwest Industries, Inc.
 Ida Grove, Iowa 51445
 800.859.3028
shorelandr.com

B806050
 Revised 8/08

ShoreLand'r® | *Go the extra mile*

BOAT TRAILERS





Why ShoreLand'r...

ShoreLand'r goes above and beyond the competition in a number of key areas. It all adds up to a trailer you can depend on year in and year out. Get the most out of every weekend and every summer vacation.

Get a ShoreLand'r and go the extra mile.

Peace of Mind

ShoreLand'r makes sure you're protected in three different ways: our 5-Year+ Limited Warranty, NMMA Certification and BoatU.S. Protection.

This all adds up to Peace of Mind so you can relax and enjoy every minute of your vacation.



NMMA certified

The "NMMA Certified" decal is your guarantee that every ShoreLand'r is built to meet or exceed the National Marine Manufacturer's Association safety and quality standards. Don't settle for less!



Free BoatU.S. Membership

To protect you in the unlikely event of a breakdown, all ShoreLand'r trailers come with a FREE 90-day BoatU.S. Membership. It features over 26 benefits, including Trailer Assist and Tow and on-the-water towing services.



Five year plus limited warranty

For added peace of mind, our 5-year Plus Limited Warranty includes a 1-Year, Tongue-to-Taillight Warranty. Ask your dealer for details.

Accessorize-ability

Different users have different needs and that's why ShoreLand'r offers a complete line of Genuine ShoreLand'r Accessories. Everything from load guides and spare tires to swing tongues. Whatever it takes to make your trailer fit your lifestyle.

Higher re-sale value

ShoreLand'r has developed a unique, 3-step powder-coating process that creates a deep luster, automotive-style finish. This Superior Quality Finish provides long-term protection against fading and chipping so your trailer looks better, longer and holds its value.

Superior Finish

Whether you choose our beautiful powder-coat finish or rugged galvanized, you'll appreciate the extra care we put into making sure your trailer looks good for the long haul.

Better performance at the ramp

All you want to do is get in and get out... and look like a pro doing it. That's precisely why ShoreLand'r trailers have an innovative support system, engineered for easy loading.

Roller models feature a **Patented Roller Design** with soft, non-marking rollers that conform to the boat for easier centering and maximum support. If you prefer bunks, the **Patented Equiloat System** uses self-adjusting bunks that pivot to evenly distribute the weight. This protects your boat with equalized support, and smoother launching and loading.



Trouble Free LED Lighting System

LED Lights with three separate Fully Grounded, Plug-In Wire Harness enclosed inside the frame & tongue tubes. And our LED lights have the highest quality circuit boards sealed in epoxy and sonic welded lens to withstand a marine environment. All that adds up to a safe, trouble free system that you can count on.



Better performance on the road

ShoreLand'r makes the journey as painless as possible with features like smooth rolling **factory-balanced wheels** for better performance and less vibration. Less vibration is a good thing for your boat and its sensitive electronic equipment. In addition to that, the frame is designed to keep the boat riding low for less wind resistance and better gas mileage out on the highway.

Adjustability for the Perfect Fit

The Perfect Fit means better performance both on the road and at the ramp. This is achieved with unique features like the patented, fully-adjustable, and super-stylish **Profile 2000 winch**. The axles are also adjustable to fine-tune tongue weight for perfectly balanced trailering that minimizes stress on your tow vehicle.

Advanced protection for your boat

One of the most important duties of a trailer is to protect your boat when it's out of its element. ShoreLand'r does it with welded **Uni-frame construction** that provides maximum strength and less flex to ensure longer trailer life. Enclosed, Custom Molded Fenders protect your boat from road debris. Protective Pads on all cross-members and axles protect the boat keel if contact is made during loading.

Safety First

You need a trailer that is equipped to protect both your family and your boat in an emergency.

ShoreLand'r doesn't take any chances, featuring **Disc Brakes** to ensure you have the smooth stopping power you need. DOT approved lighting keeps your boat visible at night. Heavy-duty **Double Safety Chains** keep the trailer secured to your tow vehicle. A **Bow Eye Safety Chain** keeps your boat on the trailer if the winch fails. Your safety is our first priority. Period.



Easier Maintenance

Grease-Pack Hubs and **Bearing Protectors** create positive pressure to keep water and contaminants out. This prolongs bearing life and prevent breakdowns, without the hassle of oil-bath systems.



Boating is all about relaxing...

and you can't do that if you're worried about your trailer. That's why all ShoreLand'r trailers, even the smaller models, have the same quality and attention to detail that you'll find in our larger trailers. Combine that with our 5-Year-Plus Limited Warranty and you get one thing – peace of mind.

Rugged Galvanized

Rugged Galvanized for maximum durability, 700 lb. to 8000 lb. capacity models are available with our optional hot-dipped galvanized finish.



SLB7TS

SLR10TS

SLB14TS

SLR15

SLV15

SLV22S

SLR22L


SLR2313S

SLB2313L

SLV2313L

Models and specifications are subject to change. Some models are shown with optional equipment.

My Trailer of CHOICE...



"As a cadet at Massachusetts Maritime Academy I have learned a lot about how marine products are engineered and what it takes to be successful in this industry. That's why, when it came time for me to buy a trailer for my own boat, I chose ShoreLand'r. When you look closely at the design and the attention to detail, there is a significant difference. They build trailers the way I would build trailers, and that sold me." Cadet Thomas S. Long, IV Massachusetts Maritime Academy Buzzard's Bay, Mass

? SMART BUYER QUESTION

Hit your dealer up with this question and they'll know you're a savvy shopper...

"What types of maintenance will I need to do on this trailer?"

Visit www.shorelandr.com for answers to these and hundreds of other trailering questions





In today's hustle-bustle world it can be tough...

to find quality family time. When you finally get a chance to break away, you want to spend it relaxing with the kids, not broken down by the side of the highway. That's why a dependable trailer is so important. One with features such as disc brakes, to ensure that all state laws are met, and more importantly, that everyone gets home safely.

? SMART BUYER QUESTION

Hit your dealer up with this question and they'll know you're a savvy shopper ...

"Do I need load guides on my trailer?"

Visit www.shorelandr.com for answers to these and hundreds of other trailering questions



SLR30BS



SLR30BSW



SLXR30BL



SLV30BL



SLR34BLW



SLB40TBLW



SLR46TBS



SLB58T



SLR68T



SLB80T



SLR80T

Models and specifications are subject to change. Some models are shown with optional equipment.

My Trailer of CHOICE...



"I travel thousands of miles all over the country, filming waterfowl hunting DVD's and TV shows, and pulling a two ton boat blind in the process.

I chose ShoreLand'r for its unmatched reliability. At times the film crew and I will be on the road 3 to 4 weeks at a time traveling to different shoots. My ShoreLand'r trailer gives me piece of mind knowing we'll get down the road without a single hiccup."

- **Barnie Calef**
3 Time World Duck Calling Champion



TESTED & APPROVED

Members of the North American Fishing Club field-tested ShoreLand'r trailers, ranking Design, Quality, Appearance and Ease of Use on a scale of 1 through 10. Our overall score of "9.0" stands as their best trailer rating ever!





RB (Roller/Bunk) Models

Get the best of both worlds - many ShoreLand'r Models are available as a unique Roller/Bunk combination with keel rollers up front and pivoting EquiLoad bunks in the back.

ShoreLand'r Aluminum Trailers


No other trailer stands up to the rigors and corrosive destruction of saltwater better than ShoreLand'r. Heavy-duty I-beam aluminum frames resist corrosion, with strong, galvanized steel crossmembers and a long list of ShoreLand'r features.

My Trailer of CHOICE...








"When it came time to replace my 20 year old ShoreLand'r, it was a no-brainer. I travel year-round on hunting and fishing projects, so I upgraded to a new aluminum model. The reduced weight helped me out with better gas mileage, and it works great with my new bay boat. By the way... that 20 year old ShoreLand'r - I gave it to a friend and he is still using it today."

- Tom Long, Outdoor Writer



ShoreLand'r LE Trailers

The next generation of ShoreLand'r - more colors and hot, custom looks are just the beginning. Add to that patented loading technology like our EquiLoad Plus® support system and integrated aluminum/poly fenders. Top it off with ShoreLand'r with dependability and unmatched performance.

- RED 
- BLUE 
- BLACK 
- ARCTIC WHITE 
- PEARL WHITE 



Stylish, corrosion-proof fenders feature a durable poly shell with a high-gloss, aluminum TreadBrite skin.



Unique, self-adjusting EquiLoad® Support System pivots to evenly distribute weight for easier loading and less stress on the boat's hull.



Loaded with extras, including chrome rims, swing tongue, and disc brakes*. Options include aluminum rims, 14" white letter radials, tongue jack, spare tire bracket and spare tire.

Models and specifications are subject to change. Some models are shown with optional equipment.



New Pontoon Line Sports More Sizes and New Features

The complete line of ShoreLand'r Pontoon Trailers has been updated with new models to fit today's larger, heavier pontoons. In addition to these new sizes and better fit, these trailers are loaded with great ShoreLand'r features, including:

- **Smooth, Stable Towing**
heavy-duty tube-steel frame, precision built axles, factory-balanced wheels
- **Long-Term Durability**
your choice of durable finish - diamond black powder-coat or rugged galvanized, plus impact-resistant Custom Molded Fenders
- **Precise Loading At The Ramp**
fully carpeted full-length bunks, adjustable winch post, heavy-duty geared winch and dual cushioned deck stops
- **Safe Step-Up Access**
heavy-duty steps with safety handrail for easy boarding
- **Easy Maintenance**
dependable grease-pack hubs with bearing protectors, fully-ground wiring with LED side-marker lights
- **Variety Of Accessories**
tri-toon conversion kits, load guides... and more!




PT1720

PT1922

PT2122

PT2147TAB



PT2147TB

PT2347TB

PT2547TB

PT2947TB

Built To Last

This heavy duty, 3"x5" tube steel frame is the toughest in the industry. The welded Uniframe construction provides maximum strength and less flex for longer trailer life.

NEW! Trouble-free Lighting System

Sealed taillights with dependable, fully-ground wiring and LED side-marker lights. It all adds up to a trouble-free system you can count on.

User-Friendly

This unique winch post design features dual cushioned deck stops and convenient steps for easy access to your pontoon.

Safety First

Dependable Disc Brakes with corrosion-free rubber brake hoses ensure you have the smooth stopping power you need.

Now standard on all brake models.



PT2950TAB

SMART BUYER QUESTION

Hit your dealer up with this question and they'll know you're a savvy shopper ...

"Does the law require brakes on this trailer?"

Visit www.shorelandr.com for answers to these and hundreds of other trailering questions



SLIB30

Inboard Trailers

Designed specifically for inboard boats, these models come loaded with unique features, including:

- **Double EquiLoad® Bunk System**
Four pivoting bunks automatically adjust for easier loading and optimum support.
- **Stylish LE Fender**
This non-corrosive, diamond plate design has built-in step pads for easy access to your boat.
- **Prop Guard**
Added protection for the inboard's lower unit during launching and loading.
- **Drop Crossmember**
Provides additional clearance for the skags so the boat rides lower. This lower center of gravity translates into smoother towing and better gas mileage.
- **Post Load Guides**
For easier loading in windy conditions and rough water.

Models and specifications are subject to change. Some models are shown with optional equipment.

MODELS & SPECIFICATIONS

Models and specifications are subject to change. Recommended carrying capacity is based on the shipping weight of the trailer with standard equipment. Adding optional equipment may decrease the trailer's carrying capacity. Your ShoreLand'r dealer can recommend the specific model that meets your needs.

DECODING SHORELAND'R MODEL NUMBERS

Model numbers provide details about the trailer's capacity and other characteristics. For example: **SLB40TBLW** = a ShoreLand'r Bunk Trailer with 4000 lb. carrying capacity, tandem axles with brakes standard on one axle, and a long-wide frame.

SL

SL = ShoreLand'r
LE = Limited Ed.

B

B = Bunk
R = Roller
F = Flat
V = V-frame bunk
XR = Extra roller
RB = Roller/Bunk

40

MAX. CAPACITY
(in 100s of lbs.)

T

T = Tandem/Tri Axle
N = Narrow
TS = Tongue Short
TM = Tongue Medium
TL = Tongue Long
A = Alternate Tire

B

B = Brakes 1 Axle
BB = Brakes 2 Axles
C = Custom Chassis

LW

S = Standard
L = Long
SW = Std. Wide
LW = Long Wide
XLW = Ext Long Wide
AL = Aluminum



STANDARD MODELS 700 LB. - 1400 LB.

MODEL	TRAILER STYLE	CAPACITY	HULL LENGTH MIN.	HULL LENGTH MAX.	MAX. TRNSM TO BOW EYE	MAX. OVERALL LENGTH	OVERALL WIDTH	WIDTH BETWEEN FENDERS	TIRE SIZE	BRAKES	ROLLERS	KEEL ROLLERS (#-SIZE)	LIGHTING
SLB7TS	Bunk	700	12'0"	14'0"	16'8"	4'11"	3'10"	4.80X12-B				TA0011 Optional	
SLB7TL	Bunk	700	16'0"	16'0"	18'8"	4'11"	3'10"	4.80X12-B				TA0011 Optional	
SLB10TS	Bunk	1200	10'11"	12'8"	12'8"	15'6"	4'11"	4.80X12-B				TA0011 Optional	
SLR10TS	Roller	1200	10'11"	12'8"	12'8"	15'4"	4'11"	4.80X12-B			8	2-8"	
SLB10TM	Bunk	1200	12'5"	14'5"	14'2"	17'0"	4'11"	4.80X12-B				TA0011 Opt.	
SLR10TM	Roller	1200	12'5"	14'5"	14'2"	16'10"	4'11"	4.80X12-B			8	2-8"	
SLB10TL	Bunk	1200	13'11"	15'11"	15'8"	18'6"	4'11"	4.80X12-B				TA0011 Opt.	
SLR10TL	Roller	1200	13'11"	15'11"	15'8"	18'4"	4'11"	4.80X12-B			8	2-8"	
SLR12TS	Roller	1200	11'11"	14'5"	13'11"	17'2"	6'0"	4'10"	4.80X12-B	Opt.	8	2-8"	Submersible
SLB12TM	Bunk	1200	13'5"	15'11"	15'5"	18'8"	6'0"	4'10"	4.80X12-B	Opt.		1-8"	Submersible
SLR12TM	Roller	1200	13'5"	15'11"	15'5"	18'8"	6'0"	4'10"	4.80X12-B	Opt.	8	2-8"	Submersible
SLB12TL	Bunk	1200	14'11"	17'5"	16'11"	20'2"	6'0"	4'10"	4.80X12-B	Opt.		1-8"	Submersible
SLR12TL	Roller	1200	14'11"	17'5"	16'11"	20'2"	6'0"	4'10"	4.80X12-B	Opt.	8	2-8"	Submersible
SLB14TS	Bunk	1400	11'11"	14'5"	13'11"	17'2"	6'0"	4'10"	5.30X12-C	Opt.		1-8"	Submersible
SLR14TS	Roller	1400	11'11"	14'5"	13'11"	17'2"	6'0"	4'10"	5.30X12-C	Opt.	8	2-8"	Submersible
SLB14TM	Bunk	1400	13'5"	15'11"	15'5"	18'8"	6'0"	4'10"	5.30X12-C	Opt.		1-8"	Submersible
SLR14TM	Roller	1400	13'5"	15'11"	15'5"	18'8"	6'0"	4'10"	5.30X12-C	Opt.	8	2-8"	Submersible
SLB14TL	Bunk	1400	14'11"	17'5"	16'11"	20'2"	6'0"	4'10"	5.30X12-C	Opt.		1-8"	Submersible
SLR14TL	Roller	1400	14'11"	17'5"	16'11"	20'2"	6'0"	4'10"	5.30X12-C	Opt.	8	2-8"	Submersible

STANDARD MODELS 1500 LB. - 2200 LB.

MODEL	TRAILER STYLE	CAPACITY	HULL LENGTH MIN.	HULL LENGTH MAX.	MAX. TRNSM TO BOW EYE	MAX. OVERALL LENGTH	OVERALL WIDTH	WIDTH BETWEEN FENDERS	TIRE SIZE	BRAKES	ROLLERS	KEEL ROLLERS (#-SIZE)	LIGHTING
SLR15	Roller	1500	14'0"	16'0"	15'8"	18'6"	6'7.5"	5'6"	5.30X12-C	8.5" Drum (Opt.)	8	4-5"	Submersible
SLV15	V-Bunk	1500	14'0"	15'6"	15'0"	17'10"	6'7.5"	5'6"	5.30X12-C	8.5" Drum (Opt.)			Submersible
SLB18LN	Bunk	1800	16'0"	18'0"	16'9"	19'11"	7'0"	5'8"	ST175/80R13-C	10" Disc (Opt.)			Sealed LED
SLR18LN	Roller	1800	16'0"	18'0"	16'9"	19'11"	7'0"	5'8"	ST175/80R13-C	10" Disc (Opt.)	12	4-5"	Sealed LED
SLV18LN	V-Bunk	1800	16'0"	17'4"	16'1"	19'3"	7'0"	5'8"	ST175/80R13-C	10" Disc (Opt.)			Sealed LED
SLR22S	Roller	2200	14'0"	16'0"	15'4"	18'5"	7'5"	6'2"	ST185/80R13-C	10" Disc (Opt.)	12	4-5"	Sealed LED
SLV22S	V-Bunk	2200	14'0"	15'0"	14'8"	17'9"	7'5"	6'2"	ST185/80R13-C	10" Disc (Opt.)			Sealed LED
SLB22L	Bunk	2200	16'0"	18'0"	16'9"	19'11"	7'5"	6'2"	ST185/80R13-C	10" Disc (Opt.)			Sealed LED
SLR22L	Roller	2200	16'0"	18'0"	16'9"	19'11"	7'5"	6'2"	ST185/80R13-C	10" Disc (Opt.)	12	4-5"	Sealed LED
SLV22L	V-Bunk	2200	16'0"	17'4"	16'9"	19'3"	7'5"	6'2"	ST185/80R13-C	10" Disc (Opt.)			Sealed LED
SLR22SW	Roller	2200	14'0"	16'0"	15'4"	18'5"	8'3.5"	7'0"	ST185/80R13-C	10" Disc (Opt.)			Sealed LED
SLV22SW	V-Bunk	2200	14'0"	15'0"	14'8"	17'9"	8'3.5"	7'0"	ST185/80R13-C	10" Disc (Opt.)			Sealed LED
SLB22LW	Bunk	2200	16'0"	18'0"	16'9"	19'11"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc (Opt.)			Sealed LED
SLR22LW	Roller	2200	16'0"	18'0"	16'9"	19'11"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc (Opt.)	12	4-5"	Sealed LED
SLV22LW	V-Bunk	2200	16'0"	17'4"	16'9"	19'3"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc (Opt.)			Sealed LED

STANDARD MODELS 2300 LB. - 3400 LB.

MODEL	TRAILER STYLE	CAPACITY	HULL LENGTH MIN.	HULL LENGTH MAX.	MAX. TRNSM TO BOW EYE	MAX. OVERALL LENGTH	OVERALL WIDTH	WIDTH BETWEEN FENDERS	TIRE SIZE	BRAKES	ROLLERS	KEEL ROLLERS (#-SIZE)	LIGHTING
SLB2313S	Bunk	2300	17'0"	19'0"	17'4"	20'1"	7'9.5"	6'6.5"	ST185/80R13-C				Sealed LED
SLR2313S	Roller	2300	17'0"	19'0"	17'4"	20'1"	7'9.5"	6'6.5"	ST185/80R13-C		16	4-8"	Sealed LED
SLRB2313S	Roller-Bunk	2300	17'0"	19'0"	17'4"	20'1"	7'9.5"	6'6.5"	ST185/80R13-C			4-8"	Sealed LED
SLV2313S	V-Bunk	2300	17'0"	18'0"	16'4"	19'1"	7'9.5"	6'6.5"	ST185/80R13-C				Sealed LED
SLXR2313S	XR Roller	2300	17'0"	19'0"	17'4"	20'1"	7'9.5"	6'6.5"	ST185/80R13-C		24		Sealed LED
SLR2313BS	Roller	2300	17'0"	19'0"	17'4"	21'1"	7'9.5"	6'6.5"	ST185/80R13-C	10" Disc	16	4-8"	Sealed LED
SLXR2313BS	XR Roller	2300	17'0"	19'0"	17'4"	21'1"	7'9.5"	6'6.5"	ST185/80R13-C	10" Disc	Rear-16		Sealed LED
SLB2313BS	Bunk	2300	17'0"	19'0"	17'4"	21'1"	7'9.5"	6'6.5"	ST185/80R13-C	10" Disc			Sealed LED
SLRB2313BS	Roller-Bunk	2300	17'0"	19'0"	17'4"	21'1"	7'9.5"	6'6.5"	ST185/80R13-C	10" Disc		4-8"	Sealed LED
SLV2313BS	V-Bunk	2300	17'0"	18'0"	16'4"	20'1"	7'9.5"	6'6.5"	ST185/80R13-C	10" Disc			Sealed LED
SLB2313L	Bunk	2300	18'0"	20'0"	18'4"	21'1"	7'9.5"	6'6.5"	ST185/80R13-C				Sealed LED
SLR2313L	Roller	2300	18'0"	20'0"	18'4"	21'1"	7'9.5"	6'6.5"	ST185/80R13-C		16	4-8"	Sealed LED
SLRB2313L	Roller-Bunk	2300	18'0"	20'0"	18'4"	21'1"	7'9.5"	6'6.5"	ST185/80R13-C			4-8"	Sealed LED
SLV2313L	V-Bunk	2300	18'0"	19'0"	17'4"	20'1"	7'9.5"	6'6.5"	ST185/80R13-C				Sealed LED
SLXR2313L	XR Roller	2300	18'0"	20'0"	18'4"	21'1"	7'9.5"	6'6.5"	ST185/80R13-C		24		Sealed LED
SLR2313BL	Roller	2300	18'0"	20'0"	18'4"	22'1"	7'9.5"	6'6.5"	ST185/80R13-C	10" Disc	16	4-8"	Sealed LED
SLXR2313BL	XR Roller	2300	18'0"	20'0"	18'4"	22'1"	7'9.5"	6'6.5"	ST185/80R13-C	10" Disc	Rear-16		Sealed LED
SLB2313BL	Bunk	2300	18'0"	20'0"	18'4"	22'1"	7'9.5"	6'6.5"	ST185/80R13-C	10" Disc			Sealed LED
SLRB2313BL	Roller-Bunk	2300	18'0"	20'0"	18'4"	22'1"	7'9.5"	6'6.5"	ST185/80R13-C	10" Disc		4-8"	Sealed LED
SLV2313BL	V-Bunk	2300	18'0"	19'0"	17'4"	21'1"	7'9.5"	6'6.5"	ST185/80R13-C	10" Disc			Sealed LED
SLB2313SW	Bunk	2300	17'0"	19'0"	17'4"	20'1"	8'3.5"	7'0.5"	ST185/80R13-C				Sealed LED
SLR2313SW	Roller	2300	17'0"	19'0"	17'4"	20'1"	8'3.5"	7'0.5"	ST185/80R13-C		16	4-8"	Sealed LED
SLRB2313SW	Roller-Bunk	2300	17'0"	19'0"	17'4"	20'1"	8'3.5"	7'0.5"	ST185/80R13-C			4-8"	Sealed LED
SLV2313SW	V-Bunk	2300	17'0"	18'0"	16'4"	19'1"	8'3.5"	7'0.5"	ST185/80R13-C				Sealed LED
SLXR2313SW	XR Roller	2300	17'0"	19'0"	17'4"	20'1"	8'3.5"	7'0.5"	ST185/80R13-C		24		Sealed LED
SLR2313BSW	Roller	2300	17'0"	19'0"	17'4"	21'1"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc	16	4-8"	Sealed LED
SLXR2313BSW	XR Roller	2300	17'0"	19'0"	17'4"	21'1"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc	Rear-16		Sealed LED
SLB2313BSW	Bunk	2300	17'0"	19'0"	17'4"	21'1"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc			Sealed LED
SLRB2313BSW	Roller-Bunk	2300	17'0"	19'0"	17'4"	21'1"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc		4-8"	Sealed LED
SLV2313BSW	V-Bunk	2300	17'0"	18'0"	16'4"	20'1"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc			Sealed LED
SLR2313LW	Bunk	2300	18'0"	20'0"	18'4"	21'1"	8'3.5"	7'0.5"	ST185/80R13-C				Sealed LED
SLR2313LW	Roller	2300	18'0"	20'0"	18'4"	21'1"	8'3.5"	7'0.5"	ST185/80R13-C		16	4-8"	Sealed LED
SLV2313LW	V-Bunk	2300	18'0"	19'0"	17'4"	20'1"	8'3.5"	7'0.5"	ST185/80R13-C				Sealed LED
SLXR2313LW	XR Roller	2300	18'0"	20'0"	18'4"	21'1"	8'3.5"	7'0.5"	ST185/80R13-C		24		Sealed LED
SLR2313BLW	Roller	2300	18'0"	20'0"	18'4"	22'1"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc	16	4-8"	Sealed LED
SLB2313BLW	Bunk	2300	18'0"	20'0"	18'4"	22'1"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc			Sealed LED
SLRB2313BLW	Roller-Bunk	2300	18'0"	20'0"	18'4"	22'1"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc		4-8"	Sealed LED
SLV2313BLW	V-Bunk	2300	18'0"	19'0"	17'4"	21'1"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc			Sealed LED

STANDARD MODELS 2300 LB. - 3400 LB. (CONTINUED)

MODEL	TRAILER STYLE	CAPACITY	HULL LENGTH MIN.	HULL LENGTH MAX.	MAX. TRNSM TO BOW E
-------	---------------	----------	------------------	------------------	---------------------



STANDARD MODELS 4000 LB. - 8000 LB. (CONTINUED)

MODEL	TRAILER STYLE	CAPACITY	HULL LENGTH MIN. MAX.	MAX TRNSM TO BOW EYE	MAX OVERALL LENGTH	OVERALL WIDTH	BETWEEN FENDERS	TIRE SIZE	BRAKES	KEEL ROLLERS (#-SIZE)	LIGHTING
SLB40TABBLW	Bunk	4000	18'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	16	6-8" Sealed LED
SLR40TABBLW	Roller	4000	18'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	16	6-8" Sealed LED
SLRB40TABBLW	Roller-Bunk	4000	18'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	16	6-8" Sealed LED
SLXR40TABBLW	XR Roller	4000	18'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	24	Sealed LED
SLB40TABXLW	Bunk	4000	19'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 1 Axle	16	6-8" Sealed LED
SLR40TABXLW	Roller	4000	19'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 1 Axle	16	6-8" Sealed LED
SLRB40TABXLW	Roller-Bunk	4000	19'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 1 Axle	16	6-8" Sealed LED
SLXR40TABXLW	XR Roller	4000	19'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 1 Axle	24	Sealed LED
SLB40TABBXLW	Bunk	4000	19'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	16	6-8" Sealed LED
SLR40TABBXLW	Roller	4000	19'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	16	6-8" Sealed LED
SLRB40TABBXLW	Roller-Bunk	4000	19'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	16	6-8" Sealed LED
SLXR40TABBXLW	XR Roller	4000	19'0" 20'0"	18'4"	22'1"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	24	Sealed LED
SLB46TBS	Bunk	4600	19'0" 23'0"	21'8"	24'8"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLR46TBS	Roller	4600	19'0" 23'0"	21'8"	24'8"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLRB46TBS	Roller-Bunk	4600	19'0" 23'0"	21'8"	24'11"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLB46TBBS	Bunk	4600	19'0" 23'0"	21'8"	24'8"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc 2 Axles	24	6-8" Sealed LED
SLR46TBBS	Roller	4600	19'0" 23'0"	21'8"	24'8"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc 2 Axles	24	6-8" Sealed LED
SLRB46TBBS	Roller-Bunk	4600	19'0" 23'0"	21'8"	24'8"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc 2 Axles	24	6-8" Sealed LED
SLB46TBL	Bunk	4600	20'6" 24'6"	23'2"	26'2"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLR46TBL	Roller	4600	20'6" 24'6"	23'2"	26'2"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLRB46TBL	Roller-Bunk	4600	20'11" 24'11"	23'7"	26'7"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLB46TBBL	Bunk	4600	20'6" 24'6"	23'2"	26'2"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc 2 Axles	24	6-8" Sealed LED
SLR46TBBL	Roller	4600	20'6" 24'6"	23'2"	26'2"	8'3.5"	7'0.5"	ST185/80R13-C	10" Disc 2 Axles	24	6-8" Sealed LED
SLB46TABS	Bunk	4600	19'0" 23'0"	21'8"	24'8"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLR46TABS	Roller	4600	19'0" 23'0"	21'8"	24'8"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLRB46TABS	Roller-Bunk	4600	19'0" 23'0"	21'8"	24'8"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLB46TABBS	Bunk	4600	19'0" 23'0"	21'8"	24'8"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	24	6-8" Sealed LED
SLR46TABBS	Roller	4600	19'0" 23'0"	21'8"	24'8"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	24	6-8" Sealed LED
SLRB46TABBS	Roller-Bunk	4600	19'0" 23'0"	21'8"	24'8"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	24	6-8" Sealed LED
SLB46TABL	Bunk	4600	20'6" 24'6"	23'2"	26'2"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLR46TABL	Roller	4600	20'6" 24'6"	23'2"	26'2"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLRB46TABL	Roller-Bunk	4600	20'11" 24'11"	23'7"	26'7"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 1 Axle	24	6-8" Sealed LED
SLB55TBBL	Bunk	5500	20'6" 24'0"	22'8"	26'8"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	24	6-8" Sealed LED
SLR55TBBL	Roller	5500	20'6" 24'0"	22'8"	26'8"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	24	6-8" Sealed LED
SLRB55TBBL	Roller-Bunk	5500	20'6" 24'0"	22'8"	26'8"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	24	6-8" Sealed LED
SLB58T	Bunk	5800	22'0" 25'0"	23'5"	28'2"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	32	8-8" Submersible
SLR58T	Roller	5800	22'0" 25'0"	23'5"	28'2"	8'5.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	32	8-8" Submersible
SLB68T	Bunk	6800	22'0" 25'0"	23'5"	28'2"	8'5.5"	7'0.5"	ST205/75R15-D	12" Disc 2 Axles	32	8-8" Submersible
SLR68T	Roller	6800	22'0" 25'0"	23'5"	28'2"	8'5.5"	7'0.5"	ST205/75R15-D	12" Disc 2 Axles	32	8-8" Submersible
SLB80T	Bunk	8000	24'0" 27'0"	24'7"	29'4"	8'5.5"	6'9.5"	ST225/75R15-D	12" Disc 2 Axles	32	8-8" Submersible
SLR80T	Roller	8000	24'0" 27'0"	24'7"	29'4"	8'5.5"	6'9.5"	ST225/75R15-D	12" Disc 2 Axles	32	8-8" Submersible

ALUMINUM MODELS

MODEL	TRAILER STYLE	CAPACITY	HULL LENGTH MIN. MAX.	MAX TRNSM TO BOW EYE	MAX OVERALL LENGTH	OVERALL WIDTH	BETWEEN FENDERS	TIRE SIZE	BRAKES	KEEL ROLLERS (#-SIZE)	LIGHTING
SLB20AL	Bunk	2000	16'0" 18'0"	16'5"	19'8"	94"	6'6.5"	ST175/80R13-C	10" Disc (Opt.)	12	4-5" Submersible
SLR20AL	Roller	2000	16'0" 18'0"	16'5"	19'8"	94"	6'6.5"	ST175/80R13-C	10" Disc (Opt.)	12	4-5" Submersible
SLRB20AL	Roller-Bunk	2000	16'0" 18'0"	16'5"	19'8"	94"	6'6.5"	ST175/80R13-C	10" Disc (Opt.)	12	4-5" Submersible
SLB23AL	Bunk	2300	18'0" 20'0"	18'4"	20'10"	101.5"	7'0.5"	ST215/75R14-C	10" Disc (Opt.)	16	4-8" Submersible
SLR23AL	Roller	2300	18'0" 20'0"	18'4"	20'10"	101.5"	7'0.5"	ST215/75R14-C	10" Disc (Opt.)	16	4-8" Submersible
SLRB23AL	Roller-Bunk	2300	18'0" 20'0"	18'4"	20'10"	101.5"	7'0.5"	ST215/75R14-C	10" Disc (Opt.)	16	4-8" Submersible
SLB30BAL	Bunk	3000	18'0" 20'0"	18'4"	21'10"	101.5"	7'0.5"	ST215/75R14-C	10" Disc	16	2-8" Submersible
SLR30BAL	Roller	3000	18'0" 20'0"	18'4"	21'10"	101.5"	7'0.5"	ST215/75R14-C	10" Disc	16	2-8" Submersible
SLRB30BAL	Roller-Bunk	3000	18'0" 20'0"	18'4"	21'10"	101.5"	7'0.5"	ST215/75R14-C	10" Disc	16	2-8" Submersible
SLB40TBAL	Bunk	4000	18'0" 20'0"	18'4"	21'10"	99.5"	7'0.5"	ST175/80R13-C	10" Disc 1 Axle	16	6-8" Submersible
SLR40TBAL	Roller	4000	18'0" 20'0"	18'4"	21'10"	99.5"	7'0.5"	ST175/80R13-C	10" Disc 1 Axle	16	6-8" Submersible
SLRB40TBAL	Roller-Bunk	4000	18'0" 20'0"	18'4"	21'10"	99.5"	7'0.5"	ST175/80R13-C	10" Disc 1 Axle	16	6-8" Submersible
SLB40TBBAL	Bunk	4000	18'0" 20'0"	18'4"	21'10"	99.5"	7'0.5"	ST175/80R13-C	10" Disc 2 Axles	16	6-8" Submersible
SLR40TBBAL	Roller	4000	18'0" 20'0"	18'4"	21'10"	99.5"	7'0.5"	ST175/80R13-C	10" Disc 2 Axles	16	6-8" Submersible
SLRB40TBBAL	Roller-Bunk	4000	18'0" 20'0"	18'4"	21'10"	99.5"	7'0.5"	ST175/80R13-C	10" Disc 2 Axles	16	6-8" Submersible
SLB46TBAL	Bunk	4600	20'0" 23'0"	21'8"	23'8"	99.5"	7'0.5"	ST185/80R13-C	10" Disc 1 Axle	24	6-8" Submersible
SLR46TBAL	Roller	4600	20'0" 23'0"	21'8"	23'8"	99.5"	7'0.5"	ST185/80R13-C	10" Disc 1 Axle	24	6-8" Submersible
SLRB46TBAL	Roller-Bunk	4600	20'0" 23'0"	21'8"	23'8"	99.5"	7'0.5"	ST185/80R13-C	10" Disc 1 Axle	24	6-8" Submersible
SLB60TAL	Bunk	6000	22'0" 25'0"	22'8"	27'6"	101.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	32	8-8" Submersible
SLR60TAL	Roller	6000	22'0" 25'0"	22'8"	27'6"	101.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	32	8-8" Submersible
SLRB60TAL	Roller-Bunk	6000	22'0" 25'0"	22'8"	27'6"	101.5"	7'0.5"	ST215/75R14-C	10" Disc 2 Axles	32	8-8" Submersible
SLB70TAL	Bunk	7000	22'0" 25'0"	22'8"	27'6"	101.5"	7'0.5"	ST205/75R15-D	12" Disc 2 Axles	32	8-8" Submersible
SLR70TAL	Roller	7000	22'0" 25'0"	22'8"	27'6"	101.5"	7'0.5"	ST205/75R15-D	12" Disc 2 Axles	32	8-8" Submersible
SLRB70TAL	Roller-Bunk	7000	22'0" 25'0"	22'8"	27'6"	101.5"	7'0.5"	ST205/75R15-D	12" Disc 2 Axles	32	8-8" Submersible
SLB82TAL	Bunk	8200	24'0" 27'0"	23'10"	29'10"	101.5"	6'11.5"	ST225/75R15-D	12" Disc 2 Axles	32	8-8" Submersible
SLR82TAL	Roller	8200	24'0" 27'0"	23'10"	29'10"	101.5"	6'11.5"	ST225/75R15-D	12" Disc 2 Axles	32	8-8" Submersible
SLRB82TAL	Roller-Bunk	8200	24'0" 27'0"	23'10"	29'10"	101.5"	6'11.5"	ST225/75R15-D	12" Disc 2 Axles	32	8-8" Submersible
SLB95TAL	Bunk	9500	28'0" 31'0"	26'9"	33'0"	101.5"	6'11"	LT235/85R16-E	12" Disc 2 Axles	64	Submersible
SLR95TAL	Roller	9500	28'0" 31'0"	26'9"	33'0"	101.5"	6'11"	LT235/85R16-E	12" Disc 2 Axles	64	Submersible
SLRB95TAL	Roller-Bunk	9500	28'0" 31'0"	26'9"	33'0"	101.5"	6'11"	LT235/85R16-E	12" Disc 2 Axles	64	Submersible
SLB150TAL	Bunk	15000	32'0" 36'0"	31'10"	35'11"	101.5"	6'9"	LT235/85R16-E	12" Disc 3 Axles	80	Submersible
SLR150TAL	Roller	15000	32'0" 36'0"	31'10"	35'11"	101.5"	6'9"	LT235/85R16-E	12" Disc 3 Axles	80	Submersible
SLRB150TAL	Roller-Bunk	15000	32'0" 36'0"	31'10"	35'11"	101.5"	6'9"	LT235/85R16-E	12" Disc 3 Axles	80	Submersible

PONTOON & INBOARD

MODEL	TRAILER STYLE	CAPACITY	HULL LENGTH MIN. MAX.	MAX TRNSM TO BOW EYE	MAX OVERALL LENGTH	OVERALL WIDTH	BETWEEN FENDERS	WIDTH ON TUBE CENTER MIN. MAX.	TIRE SIZE	BRAKES	LIGHTING
PT1420	Pontoon	2000	10' 14'	18'5"	101"	48"	76"	20.5x8.0x10-E	8" Disc (Optional)	Submersible	
PT1720	Pontoon	2000	10' 17'	21'5"	101"	48"	76"	20.5x8.0x10-E	8" Disc (Optional)	Submersible	
PT1922	Pontoon	2200	16' 19'	23'1"	96.5"	71"	79"	20.5x8.0x10-E	8" Disc (Optional)	Submersible	
PT1922A	Pontoon	2200	16' 19'	24'1"	96.5"	71"	79"	20.5x8.0x10-E	8" Disc Standard	Submersible	
PT1922B	Pontoon	2200	16' 19'	23'1"	93.5"	71"	79"	ST185/80R13-C	10" Disc (Optional)	Submersible	
PT1925AB	Pontoon	2500	16' 19'	24'1"	93.5"	71"	79"	ST185/80D13-D	10" Disc Standard	Submersible	
PT2122	Pontoon	2200	17' 21'	24'9"	96.5"	71"	79"	20.5x8.0x10-E	8" Disc (Optional)	Submersible	
PT2122B	Pontoon	2200	17' 21'	25'9"	96.5"	71"	79"	20.5x8.0x10-E	8" Disc Standard	Submersible	
PT2122A	Pontoon	2200	17' 21'	24'9"	93.5"	71"	79"	ST185/80R13-C	10" Disc (Optional)	Submersible	
PT2125AB	Pontoon	2500	18' 21'	25'9"	93.5"	71"	79"	ST185/80D13-D	10" Disc Standard	Submersible	
PT2147TB	Pontoon	4700	17' 21'	25'9"	96.5"	71"	79"	20.5x8.0x10-E	8" Disc Standard 1 Axle	Submersible	
PT2147TBB	Pontoon	4700	17' 21'	25'9"	93.5"	71"	79"	ST185/80R13-C	10" Disc Standard 2 Axles	Submersible	
PT2321A	Pontoon	2100	20' 23'	28'8"	93.5"	71"	79"	ST185/80D13-D	10" Disc Optional	Submersible	
PT2325AB	Pontoon	2500	20' 23'	27'11"	93.5"	71"	79"	ST185/80D13-D	10" Disc Standard	Submersible	
PT2347TB	Pontoon	4700	20' 23'	27'11"	96.5"</						